

**Listino Lubrificanti Autotrazione TOTAL  
Settembre 2008**

<b>GAMMA VEICOLI LEGGERI</b>		
<b>PRECONIZZATI PSA</b>	<b>Imballo</b>	<b>listino 2008 €/lt</b>
<b>TOTAL QUARTZ INEO ECS 5W30</b> ACEA C2/A5/B5 - PSA E05/D05 livello low SAPs'	24x1	<b>11,65</b>
	ff	<b>10,90</b>
	cubo	<b>10,76</b>
<b>TOTAL QUARTZ 9000 5W40</b> ACEA 2007 A3/B4 - API SM/CF - PSA E05/D05 livello 3 - BMW Longlife 01 - VW 502.00/505.00 - MB p 229.3 - Porsche	24x1	<b>10,75</b>
	ff	<b>10,00</b>
	cubo	<b>9,86</b>
<b>TOTAL QUARTZ 7000 10W40</b> ACEA A3/B3 - API SL/CF - PSA E04/D04 niveau 2 - MB p 229.1 - V	24x1	<b>8,13</b>
	6x4	<b>8,03</b>
	ff	<b>7,38</b>
	cubo	<b>7,24</b>
<b>TOTAL QUARTZ 5000 15W40</b> ACEA A2/B2 - API SL/CF - PSA Benzina & Diesel E04/B04 Liv. 1	24x1	<b>7,42</b>
	6x4	<b>7,32</b>
	ff	<b>6,67</b>
<b>TOTAL LHM PLUS</b> Omologato PSA B71 2710	24x1	<b>8,79</b>
	sc	<b>8,34</b>
	fn	<b>8,24</b>
	ff	<b>8,04</b>
<b>TOTAL FLUIDE LDS</b> Omologato PSA S71 2710	18x1	<b>12,37</b>
<b>TOTAL FLUIDE DA</b> Omologato PSA S71 2710 - Renault Prec. Laguna III (K9K/M4R/M9Ra) sistema GEP	18x1	<b>14,67</b>
<b>TOTAL TRANSMISSION X4 80W90</b> API GL5 - PSA B71 2375	20x1	<b>11,42</b>
<b>TOTAL TRANSMISSION BV 75W80</b> PSA B71 2330, API GL 4	24x1	<b>8,45</b>
	sc	<b>8,00</b>
	ff	<b>7,70</b>

**Listino Lubrificanti Autotrazione TOTAL  
Settembre 2008**

<b>GAMMA VEICOLI LEGGERI</b>		
<b>OLI MOTORE</b>	<b>Imballo</b>	<b>listino 2008 €/lt</b>
<b>TOTAL QUARTZ RACING 10W50</b> ACEA A3/B3- API SL/CF	18X1	<b>13,39</b>
<b>TOTAL SPECIAL 20W60</b> API SG/CD - Liv. VW 501.01/505.00	24x1 ff	<b>7,09</b> <b>6,34</b>
<b>TOTAL CLASSIC 5W40</b> ACEA A3/B4 - API SL/CF	24x1 ff	<b>9,37</b> <b>8,62</b>
<b>TOTAL GTS CLASSIC 10W40</b> ACEA A3/B3 - API SL/CF	24x1 6x4 ff	<b>7,06</b> <b>6,96</b> <b>6,31</b>
<b>TOTAL QUARTZ 5000 15W40</b> ACEA A2/B2 - API SL/CF - PSA Benzina & Diesel E04/D04 Liv. 1	24x1 6x4 ff	<b>7,42</b> <b>7,32</b> <b>6,67</b>
<b>TOTAL ALTIGRADE GT 15W40</b> API SF/CC	24x1 6x4 sc ff	<b>5,99</b> <b>5,89</b> <b>5,54</b> <b>5,24</b>

**Listino Lubrificanti Autotrazione TOTAL  
Settembre 2008**

<b>GAMMA VEICOLI INDUSTRIALI</b>		
<b>OLI MOTORE PER MOTORI A GAS</b>	<b>Imballo</b>	<b>listino 2008 €/lt</b>
<b>TOTAL RUBIA GAS 15W40</b> MAN M 3271-1 - Renault Trucks RGD - MB 226.9 - VOLVO CNG	ff	<b>8,33</b>
<b>OLIO MOTORE LOW SAPs</b>	<b>Imballo</b>	<b>listino 2008 €/lt</b>
<b>TOTAL RUBIA DPF 10W40</b> ACEA E3/E4 - Renault Trucks RD - MAN M 3277 CRT	ff	<b>8,40</b>
<b>TOTAL RUBIA TIR 8900 10W40</b> ACEA E4/E6 - MB p 228.51 / 228.5 - MAN M 3477 / M 3277 CRT	sc	<b>7,60</b>
	ff	<b>7,30</b>
	cubo	<b>7,16</b>
<b>OLI MOTORE GAMMA FUEL ECO - RISPARMIO C.</b>	<b>Imballo</b>	<b>listino 2008 €/lt</b>
<b>TOTAL RUBIA TIR 9200 FE 5W30</b> ACEA E4/E5/E7 - API CI-4 - MB p 228.5 - MAN M 3277 - Renault Trucks RXD/RLD-2 - VOLVO VDS-3 - SCANIA LDF - DAF HP1/HP2 - MACK EOM+ - CUMMINS 20071/72/77/78 - MTU TYPE 2	sc	<b>9,46</b>
	ff	<b>9,16</b>
	cubo	<b>9,02</b>
<b>TOTAL RUBIA TIR 7400 FE 10W30 - secchio in esa</b> ACEA E5/E7 - API CI-4 - VOLVO VDS-3 - MB p 228.3 - MACK EOM+ - MAN M 3275 - CUMMINS 20071/72/77/78 - RENAULT Trucks RLD/RLD-2 - DAF HP-1/HP-2 - GLOBAL DHD-1	sc	<b>7,67</b>
	ff	<b>7,37</b>
<b>TOTAL RUBIA TIR 7200 FE 15W30</b> ACEA E5/E7 - API CI-4 - VOLVO VDS-3 - MB p 228.3 - MACK EOM+ - MAN M 3275 - CUMMINS 20071/72/77/78 - RENAULT Trucks RLD-2 -	ff	<b>6,13</b>

**Listino Lubrificanti Autotrazione TOTAL**  
**Settembre 2008**

<b>OLI MOTORE</b>	<b>Imballo</b>	<b>listino 2008 €/lt</b>
<b>TOTAL RUBIA TIR 8900 10W40</b>	sc	<b>7,60</b>
ACEA E4/E6/E7 - MB p 228.51 / 228.5 - MAN M 3477 / M 3277	ff	<b>7,30</b>
CRT-VOLVO VDS-3 ;RENAULT TRUCKS RLD-2	cubo	<b>7,16</b>
<b>TOTAL RUBIA TIR 8600 10W40</b>	3X5	<b>7,64</b>
ACEA E4/E5/E7 - API CI-4 - MB p 228.5 - MAN M3277 - VOLVO	sc	<b>7,29</b>
VDS-3 - Renault Trucks RXD/RLD-2 - MTU Type 3	ff	<b>6,99</b>
	cubo	<b>6,85</b>
<b>TOTAL RUBIA TIR 7400 15W40</b>	6x4	<b>6,55</b>
ACEA E5/E7 - API CI-4 - MB p 228.3 - MAN M 3275 - CUMMINS	sc	<b>6,20</b>
20071/72/76/77/78 - VOLVO VDS-3 - Renault Trucks RLD/RLD -2-	ff	<b>5,90</b>
MACK EOM+ - GLOBAL DHD-1- ZF TE-ML 04C-MTU Type 2-	cubo	<b>5,76</b>
CATERPILLAR CAT ECF-1		
<b>TOTAL RUBIA TIR 7400 SC 15W40 (nuovo)</b>	ff	<b>6,56</b>
ACEA E5/E7 - API CH-4 - SCANIA LDF	cubo	<b>6,42</b>
<b>TOTAL RUBIA TIR 6400 15W40</b>	sc	<b>6,09</b>
ACEA E3 - API CH-4 - MB p 228.3 - MAN M 3275 - VOLVO VDS-2	ff	<b>5,79</b>
- Renault Trucks RD/RD-2 - MACK EOM- CUMMINS 20071/72- ZF	cubo	<b>5,65</b>
TE-ML 04C - CATERPILLAR TO-2 MTU Type 2		
<b>TOTAL RUBIA 4400 15W40</b>	3X5	<b>6,45</b>
ACEA E2 - API CG-4 - MB p 228.1 - MAN 271 - VOLVO VDS -	sc	<b>6,10</b>
MACK EO-L -ZF TE-ML 04C - CATERPILLAR TO-2 - MIL-L-	fn	<b>6,00</b>
2104E-MTU Type 1	ff	<b>5,80</b>
	cubo	<b>5,66</b>
<b>TOTAL RUBIA TDI 15W40</b>	6x4	<b>5,64</b>
API CF-4 - VOLVO VDS - MIL-L-2104 D	sc	<b>5,29</b>
	fn	<b>5,19</b>
	ff	<b>4,99</b>
	cubo	<b>4,85</b>
<b>TOTAL RUBIA S 10W</b>	sc	<b>5,90</b>
ACEA E2-API CF -MIL-L-2104 E- CATERPILLAR TO 2 - MB p	ff	<b>5,60</b>
228.0 - MAN 270 - ZF TE-ML 03B	cubo	<b>5,46</b>
<b>TOTAL RUBIA S 30</b>	sc	<b>5,84</b>
ACEA E2-API CF -MIL-L-2104 E- CATERPILLAR TO 2 - MB p	fn	<b>5,74</b>
228.0 - MAN 270 - ZF TE-ML 03B	ff	<b>5,54</b>
<b>TOTAL RUBIA S 40</b>	6x4	<b>6,19</b>
ACEA E2-API CF -MIL-L-2104 E- CATERPILLAR TO 2 - MB p	sc	<b>5,84</b>
228.0 - MAN 270 - ZF TE-ML 03B	fn	<b>5,74</b>
	ff	<b>5,54</b>
	cubo	<b>5,40</b>

**Listino Lubrificanti Autotrazione TOTAL**  
**Settembre 2008**

<b>GAMMA ALTRI LUBRIFICANTI</b>		
<b>OLI TRASMISSIONI MECCANICHE GAMMA FUEL ECO - RISPARMIO CARBURANTE</b>	<b>Imballo</b>	<b>listino 2008 €/lt</b>
<b>TOTAL TRANSMISSION SYN FE 75W90</b>	18x1	14,32
API MT1/GL4/GL5 - MACK GO-J - MAN 3343 type SL - SCANIA STO 1:0 - ZF TE-ML 02B/05B/07A/08/12B/16F/17B/19C-RENAULT Trucks	sc	13,87
	ff	13,57
<b>TOTAL TRANSMISSION SYN FE 75W140</b>	fn	13,86
API GL5 - SCANIA STO 1:0	ff	13,66
<b>TOTAL TRANSMISSION RS FE 80W90</b>	sc	7,61
API MT1/GL4/GL5 - MAN 3343 type ML - ZF TE-ML 02B/05A/07A/08A/12E - RENAULT Trucks	ff	7,31
<b>TOTAL TRANSMISSION RS FE 80W140</b>	sc	7,66
API GL5 - SCANIA STO 1:0 - RENAULT Trucks P1370 - ZF TE-ML	ff	7,36

<b>OLI TRASMISSIONI MECCANICHE</b>	<b>Imballo</b>	<b>listino 2008 €/lt</b>
<b>TOTAL TRANSMISSION XI 75W90</b>	fn	21,29
API GL-4 - MB 235.11		
<b>TOTAL TRANSMISSION TI 75W80</b>	sc	21,29
API GL-4 - MAN 341 Type TL - RENAULT Trucks - ZF TE-ML 02D	ff	
<b>TOTAL TRANSMISSION DA 80W90 (sostituire con D)</b>	ff	7,58
API GL-5 - ZF TE-ML 05C/12C		
<b>TOTAL DYNATRANS DA 80W90</b>	sc	9,12
API GL-5 - ZF TE-ML 05C/12C		
<b>TOTAL TRANSMISSION X4 80W90</b>	20x1	11,42
API GL5 - PSA B71 2375		
<b>TOTAL TRANSMISSION BV 75W80</b>	24x1	8,45
PSA B71 2330	sc	8,00
	ff	7,70
<b>TOTAL EP B 85W90</b>	fn	7,24
API GL5 - MAN 342 type N - MB p 235.0 - ZF TE-ML 05A/07A/16C	ff	7,04
<b>TOTAL EP 80W90</b>	sc	6,36
API GL4 - MAN 341 type Z-1 - ZF TE-ML 02A/16A/17A	ff	6,06
<b>TOTAL EP 80W85</b>	sc	6,55
API GL4 - MAN 341 type Z-1 - MB p 235.1 - ZF TE-ML 02A/16A/17A	ff	6,25
<b>TOTAL TRANSMISSION TM 80W90</b>	24x1	6,46
API GL5 - MIL-L-2105 D	6x4	6,36
	sc	6,01
	ff	5,71
<b>TOTAL TRANSMISSION TM 85W140</b>	4x5	7,12
API GL5 - MIL-L-2105 D	sc	6,77
	ff	6,47
<b>TOTAL TRANSMISSION 85W90</b>	sc	5,99
API GL1	ff	5,69
<b>TOTAL TRANSMISSION 85W140</b>	sc	6,24
API GL1	ff	5,94
<b>TOTAL TRANSMISSION 140</b>	24x1	6,75
API GL1	6x4	6,65

<b>OLI TRASMISSIONI AUTOMATICHE - SERVOSTERZO</b>	<b>Imballo</b>	<b>listino 2008 €/lt</b>
<b>TOTAL FLUIDEMATIC SYN</b>	ff	8,35
ALLISON C-4 - MAN 339 TYPE F - MB 236.5 - VOITH 55.6335.32 (ex G607) - ZF TE-ML 14B, 16L		
<b>TOTAL FLUIDE SYN FE</b>	sc	25,05
GM 6137M-90 DEXRON II-E - MB p 236.8 - MAN 339 Type D - ZF TE-ML 9X, 14B,16M - VOITH 55.6336.32 (ex G1363)	ff	24,75
<b>TOTALE FLUIDE AT 42</b>	18x1	7,57
GM DEXRON III - NISSAN - BMW gruppo 24-3.0 - ALLISON C-4 - MB 236.1/236.5 - PSA ZF 4HP14 e 4HP18 - ZF TE-ML 02F, 03D, 04D, 09, 11B, 14A, 17C - VOITH 55.6335.32 (ex G607) - MAN 339	sc	7,12
	ff	6,82
<b>TOTAL FLUIDE ATX</b>	24x1	7,04
GM 6137M-78 DEXRON II D - MB p 236.6 - BMW gruppo 23-3.0 e gruppo 24-3.0 - PSA - ZF TE-ML 03D, 04D, 09, 11A, 14A, 17C - VOITH 55.6335.32 (ex G607) - MAN 339 TYPE D - FORD	sc	6,59
	ff	6,29

**Listino Lubrificanti Autotrazione TOTAL  
Settembre 2008**

<b>GAMMA ALTRI LUBRIFICANTI</b>		
<b>OLI AGRICOLTURA</b>	<b>Imballo</b>	<b>listino 2008 €/lt</b>
<b>TOTAL TRACTAGRI HDX 15W40</b>	sc	7,12
ACEA E5 - API CI-4 Level SAME, DEUTZ, JOHN DEERE, CASE NEW HOLLAND, VALMET, IVECO, PERKINS, MB 228.3, MAN M 2275, CUMMINS 20076/77, CATERPILLAR	fn	7,02
	ff	6,82
<b>TOTAL MULTAGRI PRO TEC 10W40</b>	sc	7,42
Motori: ACEA E3 - API CG-4/SF - MIL-L-2104D - Trasmissioni: API GL4 - MIL-L-2105 - ZF TE ML 06B, 07B - ALLISON C4 - CATERPILLAR TO-2 - STOLI: FORD M2C 150B3 - MF M1130	fn	7,32
	ff	7,12
<b>TOTAL MULTAGRI MS 15W40</b>	6x4	6,94
	sc	6,59
	ff	6,29
<b>TOTAL DYNATRANS FR</b>	sc	6,93
API GL4 - FORD M2C 86B - MF M1135	ff	6,63
<b>TOTAL DYNATRANS MPV</b>	6x4	7,11
	sc	6,76
	ff	6,46
<b>OLI MOTOCOLTURA</b>	<b>Imballo</b>	<b>listino 2008 €/lt</b>
<b>TOTAL PROSYLVA 2 T Syn</b>	12x2	9,71
API TC+ - JASO FC - Prestazione: STIHL, ROTAX, HUSQVARNA		
<b>TOTAL 2 TZ</b>	24x1	7,29
API TC - TSC 1	6x4	7,19
	ff	6,54
<b>TOTAL CHAIN BIO</b>	6x4	5,01
	ff	4,36
<b>MOVIMENTO TERRA</b>	<b>Imballo</b>	<b>listino 2008 €/lt</b>
<b>TP MAX 10W40</b>	sc	6,17
Motori: ACEA E5 - API CH-4 - MB 228.3 - MAN M3275 - VOLVO VDS-2 - RENAULT TRUCKS RLD - CATERPILLAR DEO - Trasmissioni: API GL4 - ALLISON C4 - CATERPILLAR TO-2 - Idraulico: CATERPILLAR HYDO - ISO HV 68/100	ff	5,87
	cubo	5,73
<b>TP TRANS 80W90</b>	sc	7,59
API GL5 - J20C - FORD M2C 134D	ff	7,29
<b>HYDROFLO CT</b>	ff	6,17
ISO 6743/4 HV - DIN 51524 P3 HVLP - AFNOR NF 48 603 HV - Level POCLAIN PO/P10032 - 79V		
<b>TOTAL DYNATRANS DA 80W90</b>	sc	9,12
API GL-5 - ZF TE-ML 05C/12C		
<b>TOTAL DYNATRANS AC 10W</b>	ff	6,39
API CF - CATERPILLAR TO-4 - ALLISON C4 - ZF TE-ML 03		
<b>TOTAL DYNATRANS AC 30</b>	ff	6,39
API CF - CATERPILLAR TO-4 - ALLISON C4 - ZF TE-ML 03		
<b>TOTAL DYNATRANS AC 50 (sostituisce Transmissio</b>	sc	6,69
API CF - CATERPILLAR TO-4 - ALLISON C4 - ZF TE-ML 03	ff	6,39

**Listino Lubrificanti Autotrazione TOTAL  
Settembre 2008**

<b>SPECIALITA'</b>		
<b>ANTIGELI - LIQUIDI RAFFREDDAMENTO</b>	<b>Imballo</b>	<b>listino 2008 €/lt</b>
<b>TOTAL GLACELF Auto Supra</b> MB p 325.3 - MAN 324 - VW, AUDI, SEAT, SKODA - AFNOR NFR 15-601 - ASTM D 3306/4656/4985 - BS 6580	24x1 ff	6,42 5,67
<b>TOTAL GLACELF T</b> ASTM D 2570/2809/3306/4340 - FIAT 55523/1 - ALFA ROMEO 3500.0685 - BMW 1701 - VW TL 774A - OPEL7GM - CUNA NC 956-14/956-16/956-17	24x1 sc ff	5,64 5,19 4,89
<b>TOTAL ECO FREEZE</b>	24x1 4x5 ff	3,72 3,62 2,97
<b>TOTAL ECO FREEZE PLUS</b>	24x1 4x5 ff	4,07 3,97 3,32
<b>FLUIDI FRENI</b>	<b>Imballo</b>	<b>listino 2008 €/lt</b>
<b>TOTAL HBF 4</b> SAE J 1703 - FMVSS 116 DOT 4 - ISO 4925 - CUNA NC 956-01	24x0,25 24x1 sc	9,12 7,07 6,62
<b>TOTAL HBF 3 - secchio in esaurimento</b> SAE J 1703 - FMVSS 116 DOT 3 - ISO 4925 - CUNA NC 956-01	24x1 sc	5,64 5,19
<b>TOTAL LHM PLUS</b> Omologato PSA B71 2710	24x1 sc fn ff	8,79 8,34 8,24 8,04
<b>OLI SPECIALI MARINA - DIPORTO</b>	<b>Imballo</b>	<b>listino 2008 €/lt</b>
<b>NEPTUNA TOURING 15W40</b>	18B1L 20L 208L	6,94 6,49 6,19
<b>NEPTUNA CRUISER 15W30</b>	18B1L 3B5L 20L	6,74 6,64 6,29
<b>NEPTUNA SPEEDER 10W30</b>	18B1L 3B5L 20L	7,20 7,10 6,75
<b>NEPTUNA 2T BIO-JET</b>	18B1L	15,90
<b>NEPTUNA 2T RACING</b>	18B1L 3B5L	9,46 9,36
<b>NEPTUNA 2T SUPER SPORT</b>	18B1L 3B5L 20L	8,45 8,35 8,00
<b>NEPTUNA GEAR SYN 75W90</b>	18B1L	9,88
<b>NEPTUNA GEAR 40</b>	18B1L	7,01
<b>NEPTUNA HYDROFLUID 3</b>	18B1L 20L	11,28 10,83

<b>LINEA CHIMICA</b>		
<b>ALTRI</b>	<b>Imballo</b>	<b>listino 2008 €/lt</b>
<b>TOTAL BRILLO INTERIOR 6x0,4</b>	6x0,4	8,00
<b>TOTAL MASTICE SILICONICO NERO 18x75 gr</b>	18x75 gr	54,15
<b>TOTAL GRASSO INVISIBILE 6x0,4</b>	6x0,4	16,23
<b>ADBLUE SOLO COME PROMEMORIA</b>	<b>Imballo</b>	<b>listino 2008 €/lt</b>
<b>ADBLUE TOTAL</b>	10 lt ff cubo	2,09 1,79 1,65

CCOU (€/KG 0,025) e IVA saranno calcolati direttamente in fattura.